

Spur Gears

Materials

Standard duty

STD : Steel 214M15/045M10


ALTERNATIVE : Brass, Tufnol or Delrin

0.8 MOD

20° P.A.

SPECIAL TEETH : between 9 - 360

TORQUE CHECK 50 teeth x 1000 rpm variations at back	214M15 303S21	214M15 Cse/HD	Brass	Tufnol
TORQUE Nm.	1.000	5.000	0.540	0.450
K.W.	0.104	0.522	0.060	0.045



DISCOUNTS	
1 - 5	List Price
6 - 19	- 12%
20 - 39	- 25%
40 - 59	- 33%
60 - 99	- 37%
100 - 200	- 42%

Popular sizes in stock.

Any two part numbers of this pitch will run together.

PART NUMBER	TEETH	PCD (mm)	ØD (mm)	BOSS Ø (mm)	BORE Ø (mm)	WEIGHT (kg)		PRICE EACH 1-5	
						G	PG	G	PG
G0.8-9	9	8.00	9.60	9.60	5	0.006	0.002	£11.36	£9.51
G0.8-10	10	8.80	10.40	10.40	5	0.007	0.003	£11.47	£9.55
G0.8-11	11	9.60	11.20	11.20	5	0.009	0.004	£11.49	£9.61
G0.8-12	12	9.60	11.20	11.20	5	0.009	0.004	£11.56	£9.65
G0.8-13	13	10.40	12.00	12.00	5	0.011	0.005	£11.70	£9.70
G0.8-14	14	11.20	12.80	12.00	5	0.012	0.006	£11.91	£9.82
G0.8-15	15	12.00	13.60	12.00	5	0.013	0.007	£12.22	£9.94
G0.8-16	16	12.80	14.40	12.00	5	0.014	0.008	£12.51	£10.02
G0.8-17	17	13.60	15.20	12.00	5	0.015	0.010	£12.93	£10.19
G0.8-18	18	14.40	16.00	12.00	5	0.017	0.011	£13.19	£10.30
G0.8-19	19	15.20	16.80	12.00	5	0.018	0.012	£13.41	£10.42
G0.8-20	20	16.00	17.60	12.00	5	0.020	0.014	£13.46	£10.47
G0.8-21	21	16.80	18.40	12.00	5	0.021	0.015	£13.61	£10.57
G0.8-22	22	17.60	19.20	12.00	5	0.023	0.017	£13.75	£10.72
G0.8-23	23	18.40	20.00	12.00	5	0.025	0.019	£13.93	£10.79
G0.8-24	24	19.20	20.80	12.00	5	0.026	0.021	£13.99	£10.87
G0.8-25	25	20.00	21.60	12.00	5	0.028	0.023	£14.15	£10.97
G0.8-26	26	20.80	22.40	12.00	5	0.030	0.024	£14.32	£11.15
G0.8-27	27	21.60	23.20	12.00	5	0.032	0.027	£14.44	£11.20
G0.8-28	28	22.40	24.00	12.00	5	0.034	0.029	£14.50	£11.28
G0.8-29	29	23.20	24.80	12.00	5	0.037	0.031	£14.65	£11.35
G0.8-30	30	24.00	25.60	16.00	6	0.043	0.032	£14.72	£11.49
G0.8-31	31	24.80	26.40	16.00	6	0.045	0.035	£14.73	£11.65

Spur Gears Steel - Standard MOD 0.8

23.20



Unit 14, Foxwood Ind. Park, Foxwood Rd. Chesterfield, Derbyshire S41 9RN
Telephone +44(0)1246 268080 Fax +44(0)1246 260003

PART NUMBER	TEETH	PCD (mm)	ØD (mm)	BOSS Ø (mm)	BORE Ø (mm)	WEIGHT (kg)		PRICE EACH 1-5	
						G	PG	G	PG
G0.8-32	32	25.60	27.20	16	6	0.048	0.037	£14.77	£11.73
G0.8-33	33	26.40	28.00	16	6	0.050	0.040	£14.82	£11.85
G0.8-34	34	27.20	28.80	16	6	0.053	0.042	£14.83	£12.04
G0.8-35	35	28.00	29.60	16	6	0.056	0.045	£14.90	£12.15
G0.8-36	36	28.80	30.40	16	6	0.058	0.048	£14.95	£12.23
G0.8-37	37	29.60	31.20	16	6	0.061	0.050	£14.96	£12.39
G0.8-38	38	30.40	32.00	16	6	0.064	0.053	£15.00	£12.51
G0.8-39	39	31.20	32.80	16	6	0.067	0.056	£15.02	£12.66
G0.8-40	40	32.00	33.60	16	6	0.070	0.059	£15.07	£12.77
G0.8-41	41	32.80	34.40	16	6	0.073	0.062	£15.12	£12.93
G0.8-42	42	33.60	35.20	16	6	0.076	0.066	£15.14	£13.02
G0.8-43	43	34.40	36.00	16	6	0.080	0.069	£15.18	£13.14
G0.8-44	44	35.20	36.80	16	6	0.083	0.072	£15.19	£13.30
G0.8-45	45	36.00	37.60	16	6	0.086	0.076	£15.23	£13.41
G0.8-46	46	36.80	38.40	16	6	0.090	0.079	£15.36	£13.54
G0.8-47	47	37.60	39.20	16	6	0.093	0.083	£15.38	£13.68
G0.8-48	48	38.40	40.00	16	6	0.097	0.086	£15.41	£13.82
G0.8-49	49	39.20	40.80	16	6	0.101	0.090	£15.45	£13.95
G0.8-50	50	40.00	41.60	16	6	0.105	0.094	£15.47	£14.05
G0.8-51	51	40.80	42.40	16	6	0.108	0.098	£15.55	£14.15
G0.8-52	52	41.60	43.20	16	6	0.112	0.102	£15.65	£14.27
G0.8-53	53	42.40	44.00	16	6	0.116	0.106	£15.70	£14.36
G0.8-54	54	43.20	44.80	16	6	0.121	0.110	£15.77	£14.46
G0.8-55	55	44.00	45.60	16	6	0.125	0.114	£15.83	£14.64
G0.8-56	56	44.80	46.40	16	6	0.129	0.118	£15.90	£14.68
G0.8-57	57	45.60	47.20	16	6	0.133	0.123	£15.95	£14.77
G0.8-58	58	46.40	48.00	16	6	0.138	0.127	£16.04	£14.90
G0.8-59	59	47.20	48.80	16	6	0.142	0.132	£16.13	£15.00
G0.8-60	60	48.00	49.60	16	8	0.144	0.135	£16.19	£15.12
G0.8-61	61	48.80	50.40	16	8	0.149	0.139	£16.24	£15.19
G0.8-62	62	49.60	51.20	16	8	0.153	0.144	£16.29	£15.36
G0.8-63	63	50.40	52.00	16	8	0.158	0.149	£16.38	£15.41
G0.8-64	64	51.20	52.80	16	8	0.163	0.154	£16.45	£15.49
G0.8-66	66	52.80	54.40	16	8	0.173	0.164	£16.49	£15.61
G0.8-68	68	54.40	56.00	16	8	0.183	0.174	£16.60	£15.76
G0.8-70	70	56.00	57.60	16	8	0.194	0.185	£16.72	£15.83
G0.8-75	75	60.00	61.60	16	8	0.222	0.213	£16.94	£16.24
G0.8-76	76	60.80	62.40	16	8	0.228	0.218	£17.31	£16.72
G0.8-80	80	64.00	65.60	16	8	0.252	0.242	£17.81	£17.13
G0.8-86	86	68.80	70.40	16	8	0.290	0.281	£18.12	£17.51
G0.8-88	88	70.40	72.00	16	8	0.303	0.294	£18.40	£17.98
G0.8-90	90	72.00	73.60	20	8	0.324	0.308	£18.77	£18.40
G0.8-96	96	76.80	78.40	20	8	0.367	0.351	£19.07	£18.79
G0.8-100	100	80.00	81.60	20	8	0.397	0.381	£20.92	£19.25
G0.8-112	112	89.60	91.20	20	8	0.495	0.479	£24.24	£20.73
G0.8-120	120	96.00	97.60	20	8	0.566	0.550	£27.63	£23.99
G0.8-127	127	101.60	103.20	25	10	0.633	0.617	£33.19	£24.89
G0.8-128	128	102.40	104.00	25	10	0.653	0.626	£34.24	£28.55
G0.8-140	140	112.00	113.60	25	10	0.777	0.750	£36.19	£30.11
G0.8-150	150	120.00	121.60	25	12	0.889	0.862	£41.87	£34.84

Gears with a greater number of teeth than listed are subject to different face widths, boss and bore. Please consult Technical for sizes.



Spur Gears

Materials

Heavy duty steel


STD : 817M40 (En24) or 655M13 (En36)
ALTERNATIVE : 080M40 (En8) torque x 0.47
of 655M13(En36)

0.8 MOD

20° P.A.

SPECIAL TEETH : between 9 - 360

TORQUE CHECK	655M13	655M13 Cse/HD	817M40	817M40
50 teeth x 1000 rpm				
variations TORQUE Nm.	4.000	11.000	4.000	5.820
at back K.W.	0.418	1.119	0.418	0.612



DISCOUNTS

Quantity	List Price
1 - 5	-
6 - 19	- 12%
20 - 39	- 25%
40 - 59	- 33%
60 - 99	- 37%
100 - 200	- 42%

Popular sizes in stock.

Any two part numbers of this pitch will run together.

PART NUMBER	TEETH	PCD (mm)	ØD (mm)	BOSS Ø (mm)	BORE Ø (mm)	WEIGHT (kg)		PRICE EACH 1-5	
						YG	XG	YG	XG
YG0.8-9	9	8.00	9.60	9.60	5	0.008	0.002	£14.25	£10.70
YG0.8-10	10	8.80	10.40	10.40	5	0.010	0.003	£14.29	£10.73
YG0.8-11	11	9.60	11.20	11.20	5	0.011	0.004	£14.32	£10.82
YG0.8-12	12	9.60	11.20	11.20	5	0.011	0.004	£14.36	£10.87
YG0.8-13	13	10.40	12.00	12.40	5	0.014	0.005	£14.64	£10.94
YG0.8-14	14	11.20	12.80	12.80	5	0.015	0.006	£14.90	£11.18
YG0.8-15	15	12.00	13.60	13.60	5	0.017	0.007	£15.23	£11.36
YG0.8-16	16	12.80	14.40	14.00	5	0.019	0.008	£15.61	£11.70
YG0.8-17	17	13.60	15.20	14.00	5	0.020	0.010	£16.13	£12.07
YG0.8-18	18	14.40	16.00	14.00	5	0.022	0.011	£16.45	£12.33
YG0.8-19	19	15.20	16.80	14.00	5	0.023	0.012	£16.65	£12.44
YG0.8-20	20	16.00	17.60	14.00	5	0.025	0.014	£16.81	£12.62
YG0.8-21	21	16.80	18.40	14.00	5	0.026	0.015	£16.95	£12.69
YG0.8-22	22	17.60	19.20	14.00	5	0.028	0.017	£17.18	£12.83
YG0.8-23	23	18.40	20.00	14.00	5	0.030	0.019	£17.31	£13.00
YG0.8-24	24	19.20	20.80	14.00	5	0.031	0.021	£17.48	£13.09
YG0.8-25	25	20.00	21.60	14.00	5	0.033	0.023	£17.67	£13.26
YG0.8-26	26	20.80	22.40	14.00	5	0.035	0.024	£17.87	£13.37
YG0.8-27	27	21.60	23.20	14.00	5	0.037	0.027	£17.99	£13.48
YG0.8-28	28	22.40	24.00	14.00	5	0.039	0.029	£18.12	£13.57
YG0.8-29	29	23.20	24.80	14.00	5	0.042	0.031	£18.23	£13.64
YG0.8-30	30	24.00	25.60	20.00	6	0.054	0.032	£18.37	£13.75
YG0.8-31	31	24.80	26.40	20.00	6	0.056	0.035	£18.40	£13.77

Spur Gears Steel - Heavy Duty MOD 0.8

23.22



Unit 14, Foxwood Ind. Park, Foxwood Rd. Chesterfield, Derbyshire S41 9RN
Telephone +44(0)1246 268080 Fax +44(0)1246 260003

PART NUMBER	TEETH	PCD (mm)	OD (mm)	BOSS Ø (mm)	BORE Ø (mm)	WEIGHT (kg)		PRICE EACH 1-5	
						YG	XG	YG	XG
YG0.8-32	32	25.60	27.20	20	6	0.058	0.037	£18.45	£13.82
YG0.8-33	33	26.40	28.00	20	6	0.061	0.040	£18.50	£13.92
YG0.8-34	34	27.20	28.80	20	6	0.063	0.042	£18.52	£13.93
YG0.8-35	35	28.00	29.60	20	6	0.066	0.045	£18.61	£13.95
YG0.8-36	36	28.80	30.40	20	6	0.069	0.048	£18.66	£13.96
YG0.8-37	37	29.60	31.20	20	6	0.072	0.050	£18.67	£13.98
YG0.8-38	38	30.40	32.00	20	6	0.075	0.053	£18.71	£13.99
YG0.8-39	39	31.20	32.80	20	6	0.078	0.056	£18.76	£14.05
YG0.8-40	40	32.00	33.60	20	6	0.081	0.059	£18.77	£14.06
YG0.8-41	41	32.80	34.40	20	6	0.084	0.062	£18.83	£14.08
YG0.8-42	42	33.60	35.20	20	6	0.087	0.066	£18.87	£14.13
YG0.8-43	43	34.40	36.00	20	6	0.090	0.069	£18.88	£14.15
YG0.8-44	44	35.20	36.80	20	6	0.093	0.072	£19.00	£14.20
YG0.8-45	45	36.00	37.60	20	6	0.097	0.076	£19.03	£14.25
YG0.8-46	46	36.80	38.40	20	6	0.100	0.079	£19.13	£14.32
YG0.8-47	47	37.60	39.20	20	6	0.104	0.083	£19.15	£14.33
YG0.8-48	48	38.40	40.00	20	6	0.108	0.086	£19.25	£14.38
YG0.8-49	49	39.20	40.80	20	6	0.111	0.090	£19.27	£14.44
YG0.8-50	50	40.00	41.60	20	6	0.115	0.094	£19.29	£14.46
YG0.8-51	51	40.80	42.40	20	6	0.119	0.098	£19.41	£14.61
YG0.8-52	52	41.60	43.20	20	6	0.123	0.102	£19.50	£14.64
YG0.8-53	53	42.40	44.00	20	6	0.127	0.106	£19.59	£14.67
YG0.8-54	54	43.20	44.80	20	6	0.131	0.110	£19.66	£14.72
YG0.8-55	55	44.00	45.60	20	6	0.135	0.114	£19.73	£14.77
YG0.8-56	56	44.80	46.40	20	6	0.140	0.118	£19.81	£14.83
YG0.8-57	57	45.60	47.20	20	6	0.144	0.123	£19.95	£14.95
YG0.8-58	58	46.40	48.00	20	6	0.148	0.127	£20.00	£15.00
YG0.8-59	59	47.20	48.80	20	6	0.153	0.132	£20.09	£15.04
YG0.8-60	60	48.00	49.60	20	6	0.157	0.136	£20.16	£15.12
YG0.8-61	61	48.80	50.40	20	6	0.162	0.141	£20.25	£15.18
YG0.8-62	62	49.60	51.20	20	6	0.167	0.146	£20.36	£15.23
YG0.8-63	63	50.40	52.00	20	6	0.172	0.151	£20.46	£15.36
YG0.8-64	64	51.20	52.80	20	6	0.177	0.155	£20.56	£15.39
YG0.8-66	66	52.80	54.40	30	8	0.210	0.164	£20.61	£15.45
YG0.8-68	68	54.40	56.00	40	8	0.254	0.174	£20.68	£15.49
YG0.8-70	70	56.00	57.60	40	8	0.265	0.185	£20.87	£15.57
YG0.8-75	75	60.00	61.60	40	8	0.293	0.213	£21.10	£15.83
YG0.8-76	76	60.80	62.40	40	8	0.299	0.218	£21.61	£16.19
YG0.8-80	80	64.00	65.60	40	8	0.323	0.242	£22.26	£16.65
YG0.8-86	86	68.80	70.40	40	8	0.361	0.281	£22.55	£16.92
YG0.8-88	88	70.40	72.00	40	8	0.374	0.294	£22.94	£17.25
YG0.8-90	90	72.00	73.60	40	8	0.388	0.308	£23.43	£17.55
YG0.8-96	96	76.80	78.40	40	8	0.431	0.351	£23.81	£17.81
YG0.8-100	100	80.00	81.60	40	8	0.461	0.381	£26.12	£19.59
YG0.8-112	112	89.60	91.20	40	8	0.559	0.479	£30.32	£22.71
YG0.8-120	120	96.00	97.60	40	8	0.630	0.550	£34.47	£25.80
YG0.8-127	127	101.60	103.20	40	10	0.697	0.617	£41.36	£31.01
YG0.8-128	128	102.40	104.00	50	10	0.750	0.624	£42.68	£32.02
YG0.8-140	140	112.00	113.60	50	10	0.873	0.748	£45.11	£34.34
YG0.8-150	150	120.00	121.60	50	12	0.985	0.859	£52.15	£39.12
YG0.8-175	175	140.00	141.60	50	12	1.298	1.172	£66.27	£49.71
YG0.8-200	200	160.00	161.60	50	15	1.658	1.533	£74.37	£55.77

Gears with a greater number of teeth than listed are subject to different face widths, boss and bore. Please consult Technical for sizes.



Spur Gears

Plastic Delrin (fully machined)


Materials

STD : White Delrin

0.8 MOD

20° P.A.

SPECIAL TEETH : between 9 - 360



TORQUE CHECK	
50 teeth x 1000 rpm	
variations at back	TORQUE Nm. 0.30

DISCOUNTS

Quantity	Discount	List Price
1 - 5	-	List Price
6 - 29	- 22%	
30 - 99	- 44%	
100 - 399	- 47%	
400 - 999	- 50%	
1000 - 5000	- 53%	

Popular sizes in stock.

Any two part numbers of this pitch will run together.

PART NUMBER	TEETH	PCD (mm)	ØD (mm)	BOSS Ø (mm)	BORE Ø (mm)	WEIGHT (kg)	PRICE EACH 1-5		
							ZG	ZPG	
ZG0.8-9	9	8.00	9.60	9.60	3	0.0008	0.0003	£5.72	£4.35
ZG0.8-10	10	8.80	10.40	10.40	3	0.0010	0.0004	£5.75	£4.36
ZG0.8-11	11	9.60	11.20	11.20	3	0.0012	0.0005	£5.79	£4.38
ZG0.8-12	12	9.60	11.20	11.20	3	0.0012	0.0005	£5.81	£4.40
ZG0.8-13	13	10.40	12.00	12.00	3	0.0014	0.0006	£5.85	£4.42
ZG0.8-14	14	11.20	12.80	12.80	3	0.0016	0.0007	£5.95	£4.57
ZG0.8-15	15	12.00	13.60	13.60	3	0.0019	0.0008	£6.14	£4.62
ZG0.8-16	16	12.80	14.40	14.40	3	0.0021	0.0009	£6.30	£4.79
ZG0.8-17	17	13.60	15.20	15.20	3	0.0024	0.0011	£6.43	£4.97
ZG0.8-18	18	14.40	16.00	14.00	4	0.0023	0.0012	£6.65	£5.06
ZG0.8-19	19	15.20	16.80	14.00	4	0.0024	0.0013	£6.68	£5.09
ZG0.8-20	20	16.00	17.60	14.00	4	0.0025	0.0015	£6.72	£5.19
ZG0.8-21	21	16.80	18.40	14.00	4	0.0027	0.0016	£6.77	£5.22
ZG0.8-22	22	17.60	19.20	14.00	4	0.0029	0.0018	£6.87	£5.25
ZG0.8-23	23	18.40	20.00	14.00	4	0.0030	0.0020	£6.99	£5.33
ZG0.8-24	24	19.20	20.80	14.00	4	0.0032	0.0021	£7.02	£5.36
ZG0.8-25	25	20.00	21.60	14.00	4	0.0034	0.0023	£7.04	£5.46
ZG0.8-26	26	20.80	22.40	14.00	4	0.0036	0.0025	£7.14	£5.48
ZG0.8-27	27	21.60	23.20	14.00	4	0.0038	0.0027	£7.27	£5.52
ZG0.8-28	28	22.40	24.00	14.00	4	0.0040	0.0029	£7.31	£5.54
ZG0.8-29	29	23.20	24.80	14.00	4	0.0043	0.0032	£7.36	£5.58
ZG0.8-30	30	24.00	25.60	15.00	5	0.0046	0.0033	£7.38	£5.59
ZG0.8-31	31	24.80	26.40	15.00	5	0.0048	0.0036	£7.40	£5.60

Spur Gears Plastic MOD 0.8

23.24



Unit 14, Foxwood Ind. Park, Foxwood Rd. Chesterfield, Derbyshire S41 9RN
Telephone +44(0)1246 268080 Fax +44(0)1246 260003

PART NUMBER	TEETH	PCD (mm)	ØD (mm)	BOSS Ø (mm)	BORE Ø (mm)	WEIGHT (kg)		PRICE EACH 1-5	
						ZG	ZPG	ZG	ZPG
ZG0.8-32	32	25.60	27.20	15	5	0.0050	0.0038	£7.40	£5.67
ZG0.8-33	33	26.40	28.00	15	5	0.0053	0.0041	£7.43	£5.72
ZG0.8-34	34	27.20	28.80	15	5	0.0055	0.0043	£7.44	£5.73
ZG0.8-35	35	28.00	29.60	15	5	0.0058	0.0046	£7.45	£5.85
ZG0.8-36	36	28.80	30.40	15	5	0.0061	0.0049	£8.20	£6.03
ZG0.8-38	38	30.40	32.00	15	5	0.0067	0.0054	£8.27	£6.08
ZG0.8-39	39	31.20	32.80	15	5	0.0070	0.0057	£8.29	£6.32
ZG0.8-40	40	32.00	33.60	15	5	0.0073	0.0061	£8.32	£6.34
ZG0.8-41	41	32.80	34.40	15	5	0.0076	0.0064	£8.35	£6.38
ZG0.8-42	42	33.60	35.20	15	5	0.0079	0.0067	£8.36	£6.39
ZG0.8-43	43	34.40	36.00	15	5	0.0082	0.0070	£8.38	£6.40
ZG0.8-44	44	35.20	36.80	15	5	0.0086	0.0074	£8.41	£6.46
ZG0.8-45	45	36.00	37.60	15	5	0.0089	0.0077	£8.43	£6.54
ZG0.8-46	46	36.80	38.40	15	5	0.0093	0.0081	£8.45	£6.65
ZG0.8-47	47	37.60	39.20	15	5	0.0096	0.0084	£8.50	£6.71
ZG0.8-48	48	38.40	40.00	15	5	0.0100	0.0088	£9.15	£6.99
ZG0.8-49	49	39.20	40.80	15	5	0.0104	0.0092	£9.49	£7.08
ZG0.8-50	50	40.00	41.60	15	5	0.0108	0.0095	£9.68	£7.28
ZG0.8-51	51	40.80	42.40	15	5	0.0111	0.0099	£9.77	£7.37
ZG0.8-52	52	41.60	43.20	15	5	0.0115	0.0103	£9.82	£7.45
ZG0.8-53	53	42.40	44.00	15	5	0.0120	0.0107	£9.86	£7.49
ZG0.8-54	54	43.20	44.80	15	5	0.0124	0.0112	£9.94	£7.63
ZG0.8-55	55	44.00	45.60	15	5	0.0128	0.0116	£9.96	£7.63
ZG0.8-56	56	44.80	46.40	18	6	0.0137	0.0119	£9.97	£7.64
ZG0.8-57	57	45.60	47.20	18	6	0.0141	0.0124	£10.01	£7.70
ZG0.8-58	58	46.40	48.00	18	6	0.0146	0.0128	£10.04	£7.72
ZG0.8-59	59	47.20	48.80	18	6	0.0150	0.0133	£10.12	£7.73
ZG0.8-60	60	48.00	49.60	18	6	0.0155	0.0137	£10.15	£7.75
ZG0.8-61	61	48.80	50.40	18	6	0.0160	0.0142	£12.29	£9.40
ZG0.8-62	62	49.60	51.20	18	6	0.0164	0.0147	£12.33	£9.47
ZG0.8-63	63	50.40	52.00	18	6	0.0169	0.0152	£12.39	£9.48
ZG0.8-64	64	51.20	52.80	18	6	0.0174	0.0157	£12.43	£9.51
ZG0.8-66	66	52.80	54.40	18	6	0.0184	0.0167	£12.44	£9.55
ZG0.8-68	68	54.40	56.00	18	6	0.0195	0.0177	£12.52	£9.60
ZG0.8-70	70	56.00	57.60	18	6	0.0205	0.0188	£12.66	£9.65
ZG0.8-75	75	60.00	61.60	18	6	0.0233	0.0216	£14.50	£11.12
ZG0.8-76	76	60.80	62.40	18	6	0.0239	0.0222	£15.23	£11.67
ZG0.8-80	80	64.00	65.60	18	6	0.0263	0.0246	£15.48	£11.86
ZG0.8-86	86	68.80	70.40	18	6	0.0302	0.0285	£15.78	£12.08
ZG0.8-88	88	70.40	72.00	18	6	0.0316	0.0298	£15.94	£12.33
ZG0.8-90	90	72.00	73.60	22	6	0.0339	0.0312	£16.09	£12.79
ZG0.8-96	96	76.80	78.40	22	6	0.0382	0.0355	£17.34	£13.30
ZG0.8-100	100	80.00	81.60	22	8	0.0413	0.0386	£19.00	£14.63
ZG0.8-112	112	89.60	91.20	22	8	0.0511	0.0484	£24.54	£20.07
ZG0.8-120	120	96.00	97.60	30	10	0.0583	0.0556	£27.88	£21.37
ZG0.8-140	140	112.00	113.60	30	10	0.0785	0.0758	£40.21	£30.78
ZG0.8-150	150	120.00	121.60	30	12	0.0898	0.0870	£49.47	£38.85

'Never Knowingly Outpriced'

Gears with a greater number of teeth than listed are subject to different face widths, boss and bore. Please consult Technical for sizes.

